Claims

1. A network system comprising:

ų] ĮĮ.

23 2

Fig. 1

1 2

100

1 1

- a client for browsing web pages;
- server for providing a function to perform 5 predetermined process for said web pages; and
 - a web server for storing a web page that includes a function execution request object which is used to request that a process be performed by said function providing server,
- 10 wherein said client obtains, from said web server, said web page that includes said function execution request object, and when said function execution request object included said web page is selected, said client in designates the storage location for a target web page and 15 transmits a process execution request to said function providing server,

wherein, upon the receipt of said process execution request from said client, said function providing server obtains said target web page based on said storage location 20 that is designated by said process execution performs a pertinent process for said target web page that is obtained, and returns the resultant web page to said client that issued said process execution request.

2. The network system according to claim 1, wherein, when request, said client 25 issuing said process execution designates the type of process to be performed, and said function providing server performs said designated process

for an obtained web page.

- 3. The network system according to claim 1, wherein, when said obtained web page is linked with another web page, said function providing server also obtains a web page at a 5 linking destination and performs a process for said obtained web page.
- 4. The network system according to claim 1, wherein said function providing server inserts predetermined advertisement contents into said web page obtained by said 10 process.
 - 5. A server, for receiving an execution request from a client and for performing a predetermined function in consonance with said execution request, comprising:
- a command analyzer for, in response to the selection of a 15 function execution request object that is included in a web page displayed by said client and that is used to request that said server execute a process, accepting and analyzing an execution request that is received by said server and that includes information concerning a storage location for 20 a target web page that is to be processed;
 - a web page acquisition unit for obtaining said target web page based on said information that is included in said execution request concerning said storage location for said target web page; and
- 25 a web page converter for performing a predetermined conversion process for said target web page that is

ļķķ is

obtained.

- 6. The server according to claim 5, further comprising: a transmission unit for returning, to said client, the resultant web page obtained by the performance of said 5 conversion process.
- 7. The server according to claim 5, wherein, when said obtained web page is linked with another web page, said web page acquisition unit also obtains a web page at a linking destination; and wherein said web page converter performs said predetermined conversion process for said web page at said linking destination that is obtained by said web page acquisition unit.
- 8. The server according to claim 5, further comprising:
 an advertisement insertion unit for inserting
 15 predetermined advertisement contents into said web page
 obtained by said web page converter.
 - 9. The server according to claim 8, wherein said advertisement insertion unit selects for insertion an advertisement content type based on the type of processing 20 that said web page converter performs for said web page.
 - 10. The according claim 8, to wherein said advertisement insertion unit selects for insertion an advertisement content type based on a keyword that extracted from said web page.

11. A web server, for storing a web page that is browsed by means of a communication network, comprises:

storage means for storing a web page, including both a description of a URL for a function providing server, which 5 performs a predetermined process for a web page, and a description of an option for obtaining a URL for a web page that is inserted into said web server; and

communication control means for accepting a request to browse a web page and for returning said web page to the 10 source that transmitted said request.

- 12. A web page comprising:
- a first script, for displaying an execution function request object on a web page; and
- a second script, performed in response to the selection of said function execution request object on said web page, which is displayed by predetermined display means, for obtaining the URL of said web page and for transmitting the URL to a function providing server that has been registered in advance.
 - 20 13. A data processing method for receiving an execution request from a client and for performing a predetermined process in consonance with the execution request comprising the steps of:
 - analyzing, in response to the selection of a function 25 execution request object that is included in a web page displayed by said client and that is used to request that

said server execute a process, an execution request that is received by said server and that includes concerning a storage location for a target web page that is to be processed;

5 obtaining said target web page based on the information, which is included in said execution request, concerning said storage location for said target web page; and

performing a predetermined conversion process for said target web page that is obtained.

10 14. A storage medium on which input means of a computer stores a computer-readable program, which permits computer to perform:

gu is

G. H. / # E IE

The state of the s

a process for analyzing, in response to the selection of a function execution request object that is included in a web 15 page displayed by said client and that is used to request that said server execute a process, an execution request received by said server and that includes that is information concerning a storage location for a target web page that is to be processed;

- a process for obtaining said target web page based on said 20 information, which is included in said execution request, concerning said storage location for said target web page; and
- performing a predetermined conversion for process 25 process for said target web page that is obtained.
 - A storage medium on which input means of a computer stores a script written in a source of a web page, said

script includes:

Marie de la contrar des

a first script, for displaying an execution function request object on a web page; and

a second script, performed in response to the selection of 5 said function execution request object on said web page, which is displayed by predetermined display means, obtaining the URL of said web page and for transmitting the URL to a function providing server that has been registered in advance.

A program transmission apparatus comprising:

storage means for storing a first script, for displaying an execution function request object on a web page, and a second script, performed in response to the selection of said function execution request object on said web page, 15 which is displayed by predetermined display means, obtaining the URL of said web page and for transmitting the URL to a function providing server that has been registered in advance; and

transmission means for reading said first and said second 20 scripts from said storage means and for transmitting said first and said second scripts.